

What Stakeholders Think The Role for Public Disclosure

Sidna Scheitel, MD, MPH

June 6, 2006

California Office of the Patient Advocate



Institute of Clinical Systems Improvement (ICSI)

- Nonprofit organization
- Founded 1993
- 56 member organizations (7,600)
- Funded 6 Minnesota health plans
- Facilitates quality improvement

 Medical groups

 Hospitals

 Health plans



Performance Measurement Task Force

- Sidna Scheitel, MD, MPH (Mayo Clinic)
- Pete Benner (AFSCME Councill 6, AFL-CIO)
- Richard Dinter, MD (Fairview Health Services)
- Charles Fazio, MD (Medica)
- William Gold, MD (Blue Cross & Blue Shield of Minnesota)
- Nancy Feldman (UCare Minnesota)
- John Frederick, MD (Preferred One)
- George Isham, MD (HealthPartners)
- Mark Matthias, MD (Hutchinson Medical Center)
- Dan McCormick (Grand Itasca Clinic & Hospital)
- Gordon Mosser, MD (ICSI)
- David Wesner (Park Nicollet Health Services)
- James Reinertsen, MD (The Reinertsen Group)



Example Measures of Performance Desirable Attributes of Example Measures

Volume

The health care item or issue measured occurs with high frequency; or it results in high costs; or both

Gravity

The underlying disease, condition, or issue has high importance for patients and families; or the health care item measured has an important effect on a disease, condition, or issue that has high importance for patients and families

Evidence

There is evidence that taking specific action on the item measured can under optimal circumstances have a favorable effect on a health outcome, service, or cost outcome that is valued by patients and families

PublicReporting on the alth Care Orally

Example Measures of Performance

Desirable Attributes of Example Measures

Gap

A gap is known to exist between current performance and what the evidence shows can be achieved under optimal circumstances

Prospects

There is a reasonable likelihood that the gap can be closed or made substantially smaller in the health care systems whose performance will be reported using the measure

Functionality

The measure itself has been shown in use to be valid, reliable, practical, and obtainable without undue cost



Example Measures of Health Care Performance

		Desirable attributes of example measures					f		
IOM category	Examples of measures that might be used	Applicable to	Volume	Gravity	Evidence	Gap	Prospects	Functionality	Comments
Safety	Adverse drug events/1,000 doses	НС	1	1	1	1	1	1	Tool available from IHI
	Never-events/1,000 hospital-days	НС		1	1	1		1	Routinely colleted in Minnesota
	Central-line associated blood stream infections/1,000 line-days	НС	1	1	1	√	1	1	
	Wrong-site surgery/1,000,000 procedures	HC,IS	1	1	1	1	1	1	
	• Falls/1,000 pt-days	НС	1		1	1	1	1	
	 Number of new pressure ulcers/1,000 days 	НС	7	1	1	1	1	1	
Effective- ness	 % of 2 yr olds whose preventive services are up-to-date 	AC	1	1	1	1	1	1	HEDIS measure
=======================================	 % of diabetic pt with optimal care (controlled HbA1c, LDL & BP, not using tobacco & taking daily ASA) 	AC,IS	1	1	1	√	√	1	MCMP measure
	 Rate of visits by asthma pt to ERs 	AC,IS	1	1	1	1	1	1	
	% of CABG pt alive 30 days after surgery	НС	1	1	1	1	1	1	
	% CHF pt readmitted within 30 days	НС	1	1	1	√	1	1	CMS & JCAHO measure
	Hospital standarized mortality ratio	НС	1	1	1	1	1	1	Comprehensive but complex



Example Measures of Health Care Performance

		Desirable attributes of example measures					f		
IOM category	Examples of measures that might be used	Applicable to	Volume	Gravity	Evidence	Gap	Prospects	Functionality	Comments
Patient	Press-Ganey survey measures	IS	1	√	1	1	1	1	Widely used
centered- ness	NRC (Picker) survey measures	IS	1	√	1	1	√	1	Widely used
	Hospital CAHPS survey measures	нс	1	V	1	1	√	1	Widely used
	Ambulatory CAHPS survey measures	AC	1	1	1	1	1	1	New
	CAHPS survey measures	IS	1	1	1	1	1	1	Melds health plan, hospital, and ambulatory
Timeli-	Waiting time for 3 rd next available appointment	AC	1		1	1	1	1	Widely used
ness	Waiting time in clinical once arrived for appointment	AC	1		1	√	1	1	
=	 Lag time between ER decision to admit and arrival in hospital bed 	НС	1		√	√	1	1	
	 Lag time between abnormal mammogram and firm diagnosis 	IS	1	1	1	1	1	1	
	 Lag time between onset chest pain and definitive treatment 	IS	1	1	1	√	1		Difficult to measure routinely
	Time on telephone until issue definitively addressed		1		7	1	1		May be difficult to define and measure



Example Measures of Health Care Performance

			Desirable attributes of example measures						
IOM category	Examples of measures that might be used	Applicable to	Volume	Gravity	Evidence	Gap	Prospects	Functionality	Comments
Efficiency	Costs for selected episode treatment groups Average LOS for selected DRGs or other	HC,IS HC	1	√	√	1	7	7 7	None of these measures is a true
	 hospitalization categories Costs for selected ambulatory care group/yr Risk-adjusted costs/pt/mo for selected selected population Pharmacy costs/pt/mo for selected population Cost during first 6 wk of care for acute low back pain 	AC IS AC AC	1 1 1	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	\ \ \ \ \	\ \ \ \ \	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \		efficiency measure; all are measures of costs for selected items regardless of outcome
Equity	 Contrasts of process and outcome measures between genders Contrasts of process and outcome measures across different ethnic groups Contrasts of process and outcome measures across different income groups Contrasts of process and outcome measures among urban, suburban, and rural populations 	AC,HC, IS AC,HC, IS AC, HC, IS AC,HC,	1 1 1	\ \ \ \	\ \ \ \	√ √ √	1	1	Equity measures in general are not well developed Evidence is also often lacking on effectiveness of action under optimal circumstances and in real-world health systems

